

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### WP MS Polymer transparent

Revision date: 26.06.2023

Product code: 619942

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

WP MS Polymer transparent

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives and sealants

### 1.3. Details of the supplier of the safety data sheet

Company name: Werkstatt-Produkte GmbH  
 Street: Hahnerberger Str. 175  
 Place: 42349 Wuppertal  
 Telephone: +49 (0) 202 - 495839-0 Telefax: +49 (0) 202 - 495839-10  
 e-mail: info@werkstatt-produkte.de  
 Internet: www.werkstatt-produkte.de

### 1.4. Emergency telephone number:

+49 (0) 89-19240 (24h) (deutsch und englisch)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Special labelling of certain mixtures

EUH208 Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.  
 EUH210 Safety data sheet available on request.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
 People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this mixture.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane			1 - < 5 %
	220-449-8	014-049-00-0	01-2119513215-52	
	Flam. Liq. 3, Acute Tox. 4, Skin Sens. 1B; H226 H332 H317			
13822-56-5	3-(trimethoxysilyl)propylamine			1 - < 5 %
	237-511-5		01-2119510159-45	
	Skin Irrit. 2, Eye Dam. 1; H315 H318			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### WP MS Polymer transparent

Revision date: 26.06.2023

Product code: 619942

Page 2 of 10

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
2768-02-7	220-449-8	trimethoxyvinylsilane; trimethoxy(vinyl)silane	1 - < 5 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 3158 mg/kg; oral: LD50 = > 5000 mg/kg	
13822-56-5	237-511-5	3-(trimethoxysilyl)propylamine	1 - < 5 %
		dermal: LD50 = > 10000 mg/kg; oral: LD50 = 3030 mg/kg	

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

When in doubt or if symptoms are observed, get medical advice. Take off immediately all contaminated clothing and wash it before reuse.

##### After inhalation

Remove casualty to fresh air and keep warm and at rest. If unconscious but breathing normally, place in recovery position and seek medical advice. If experiencing respiratory symptoms: Call a doctor.

##### After contact with skin

Take off contaminated clothing and wash it before reuse. Gently wash with plenty of soap and water. In case of skin reactions, consult a physician.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

##### After ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Foam, Carbon dioxide (CO<sub>2</sub>), Dry extinguishing powder  
Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic (Carbon monoxide, Carbon dioxide (CO<sub>2</sub>))

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### WP MS Polymer transparent

Revision date: 26.06.2023

Product code: 619942

Page 3 of 10

#### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

#### For emergency responders

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Stop leak if safe to do so. Cover drains.

##### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

##### Advice on protection against fire and explosion

Usual measures for fire prevention.

##### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Hints on joint storage

Keep away from: Food and feedingstuffs  
Protect from direct sunlight.  
Do not store together with: Oxidizing agent, Acids

##### Further information on storage conditions

storage temperature: < 25°C

#### 7.3. Specific end use(s)

Adhesives and sealants

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### WP MS Polymer transparent

Revision date: 26.06.2023

Product code: 619942

Page 4 of 10

#### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
67-56-1	Methanol	200	260		TWA (8 h)	

#### DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
13822-56-5	3-(trimethoxysilyl)propylamine			
Consumer DNEL, acute	inhalation	systemic	17,4 mg/m <sup>3</sup>	
Consumer DNEL, acute	dermal	systemic	5 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	1,7 mg/m <sup>3</sup>	
Consumer DNEL, long-term	dermal	systemic	0,5 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	5 mg/kg bw/day	
Worker DNEL, acute	inhalation	systemic	17,4 mg/m <sup>3</sup>	
Worker DNEL, acute	dermal	systemic	8,3 mg/kg bw/day	
Worker DNEL, long-term	inhalation	systemic	7,1 mg/m <sup>3</sup>	
Worker DNEL, long-term	dermal	systemic	1 mg/kg bw/day	

#### PNEC values

CAS No	Name of agent	Value
13822-56-5	3-(trimethoxysilyl)propylamine	
Freshwater		0,33 mg/l
Freshwater (intermittent releases)		3,3 mg/l
Marine water		0,033 mg/l
Freshwater sediment		1,2 mg/kg
Marine sediment		0,12 mg/kg
Secondary poisoning		11,1 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,81 mg/l
Soil		0,045 mg/kg

#### 8.2. Exposure controls



##### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. (EN 166)

##### Hand protection

Wear suitable gloves. (EN ISO 374)

By long-term hand contact

Suitable material: Butyl caoutchouc (butyl rubber)

Thickness of the glove material: &gt; 0,4mm

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**WP MS Polymer transparent**

Revision date: 26.06.2023

Product code: 619942

Page 5 of 10

Permeation time (maximum wear duration): &gt; 120 min.

By short-term hand contact

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: &gt; 0,4mm

Permeation time (maximum wear duration): &gt; 480 min.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection. (EN 14387) Filter type: A-P1

**Thermal hazards**

No information available.

**Environmental exposure controls**

Avoid release to the environment.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid (Paste)
Colour:	transparent
Odour:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	Non-flammable.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic: (at 40 °C)	> 7 mm <sup>2</sup> /s
Water solubility:	partially soluble
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	1,05 g/cm <sup>3</sup>
Relative vapour density:	not determined
Particle characteristics:	not determined

**9.2. Other information**

No information available.

**SECTION 10: Stability and reactivity**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### WP MS Polymer transparent

Revision date: 26.06.2023

Product code: 619942

Page 6 of 10

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Reaction with: Air-Humidity (Formation of: Methanol )

#### 10.4. Conditions to avoid

Protect against: Heat, Frost

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic (Carbon monoxide Carbon dioxide (CO<sub>2</sub>))

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (inhalation vapour) 220,44 mg/l; ATE (inhalation dust/mist) 30,060 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2768-02-7	trimethoxyvinylsilane; trimethoxy(vinyl)silane				
	oral	LD50 > 5000 mg/kg	Rat	Manufacturer	
	dermal	LD50 3158 mg/kg	Rabbit	Manufacturer	
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
13822-56-5	3-(trimethoxysilyl)propylamine				
	oral	LD50 3030 mg/kg	Rat	Manufacturer	OECD 401
	dermal	LD50 > 10000 mg/kg	Rabbit	Manufacturer	OECD 402

##### Irritation and corrosivity

Based on available data, the classification criteria are not met.

In case of eye contact: slightly irritant but not relevant for classification. (Expert judgement and weight of evidence determination.)

##### Sensitising effects

Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.

Test results: Respiratory or skin sensitisation: not sensitising. (OECD 406, OECD 429)

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### WP MS Polymer transparent

Revision date: 26.06.2023

Product code: 619942

Page 7 of 10

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

oral, dermal, inhalative, Eye contact

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
13822-56-5	3-(trimethoxysilyl)propylamine					
	Acute fish toxicity	LC50 mg/l	> 934	96 h	Danio rerio (zebrafish)	Manufacturer OECD 203
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Desmodes. Sub.	Manufacturer OECD 201
	Acute crustacea toxicity	EC50	331 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer OECD 202

#### 12.2. Persistence and degradability

No information available.

No information available.				
CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
13822-56-5	3-(trimethoxysilyl)propylamine			
	(EC) 440/2008 C.4-A	67 %	28	Manufacturer
	Not readily biodegradable (according to OECD criteria)			

#### 12.3. Bioaccumulative potential

No information available.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
13822-56-5	3-(trimethoxysilyl)propylamine	0,2

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**WP MS Polymer transparent**

Revision date: 26.06.2023

Product code: 619942

Page 8 of 10

**Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**List of Wastes Code - residues/unused products**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**14.4. Packing group:**

No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**14.4. Packing group:**

No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**14.4. Packing group:**

No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**14.4. Packing group:**

No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No information available.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### WP MS Polymer transparent

Revision date: 26.06.2023

Product code: 619942

Page 9 of 10

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

2010/75/EU (VOC): < 7,5 %

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### Additional information

Observe in addition any national regulations!

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**WP MS Polymer transparent**

Revision date: 26.06.2023

Product code: 619942

Page 10 of 10

**Relevant H and EUH statements (number and full text)**

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
EUH208	Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*